

Work Order ID 157552

Tuesday, March 21, 2017 7:42:47 AM

157552

Page 1

Item ID: D3912-5 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Eyebolt Plate
Start Date: 3/22/2017 Start Qty: 12.00 ***12*** Cust Item ID:
Required Date: 3/24/2017 Req'd Qty: 12.00 ***12*** Customer:
Reference: SCHEDULED/S

Approvals: Process Plan: DAS 21 Date: MAR 21 2017 Tooling: _____ Date: _____ Run Start ***NR1***
QC: 9-89 Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3912	B

100

0.03

100Waterjet
FLOW CNC Waterjet**Memo**Cut as per dwg D3912
Prog Rev: B
Dwg Rev: B

Deburr as required

0.01

12PC 17/03/21

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110QC
Quality Control**Memo**

0.12

12PC 17/03/21

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : _____			
Misidentified ☐		Past Due ☐					

Tuesday, March 21, 2017 7:42:47 AM

157552

Item ID: D3912-5

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Eyebolt Plate

Stop

NS?

Start Date: 3/22/2017 **Start Qty:** 12.00

12

Cust Item ID:

Required Date: 3/24/2017 **Req'd Qty:** 12.00

12

Customer:

Reference: SCHEDULED/S

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC8- Inspect parts - second check	0.00							
120									
QC	Memo	0.24				<u>12</u>			DAS 38 8-89
Quality Control									MAR 22 2017
130	Identify as per dwg & Stock Location: <u>ST058</u>	0.00							
130									
Packaging	Memo	0.12			DAS 6 9-89	<u>12</u>			DAS 41 9-89
Packaging									MAR 22 2017
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	1.20							
Quality Control									17/3/23 JH mf 17-3-23

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Tuesday, March 21, 2017 7:42:50 AM

Page 1

Work Order ID: 157552

157552

Parent Item: D3912-5

D3912-5

Parent Item Name: Eyebolt Plate

Start Date: 3/22/2017

Required Date: 3/24/2017

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP RevA: new issue DD 09.11.17 verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S11GA		Purchased	No			100	sf	19.2700	0.05125	0.647369			

M304S11GA

304/316 0.125 Sheet

06/17/23/21

Location

Loc Qty

Loc Code

MAT020

19.26998

M136687

19.26998

1.7

DQA: _____ Date: _____





WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐ _____					

ITEM	QTY -041	P/N	DESCRIPTION
	X	D3912-041	EYEBOLT RECEIVER ASSY
1	1	D3912-1	EYEBOLT
2	2	D3912-3	EYEBOLT BLOCK
3	2	D3912-5	EYEBOLT PLATE
4	1	D3801-1	SPRING PLUNGER
5	8	MS20615-4M20	RIVET
6	1	MS21209-F615	HELICAL
7	1	NAS1149F0332P	WASHER



SUPPLEMENTAL ISO VIEW
(EYEBOLT PLATE REMOVED
TO SHOW INTERIOR FEATURES)

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 157552 M.C.S
17 03-21


RELEASED
2010-07-16
10/03

D3912-041 EYEBOLT RECEIVER ASSY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N D3912-041 USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT -041: 1.58 lbs


B	D3801-1 WAS D3810-1 SPRING PLUNGER; D4028-041 RMV; MS21209-F615 WAS MS21209-C810 HELICAL; (1) WASHER NAS1149C0663R ADDED; BOSS ADDED TO D3912-1.	JPH	10.06.28
A	NEW ISSUE	JPH	10.03.04
REV	DESCRIPTION	BY	DATE
DESIGN	1.5		
DRAWN	1.5		
CHECKED	1.5		
MFG. APPR.	1.5		
APPROVED	1.5		
DE APPR.	1.5		
DATE	10.06.28		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D3912 TITLE EYEBOLT RECEIVER ASSY REV. B SHEET 1 OF 3 SCALE NTS COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR TRANSMITTED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



D3912-1 EYEBOLT

NOTES:

- 1) MATERIAL: 303/304/316 STAINLESS STEEL ROUND BAR, PER ASTM A276 OR ASTM A582
REF DART SPEC M303R OR M304R
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ID AT ASSEMBLY
- 7) WEIGHT: 0.45 lbs



SECTION A-A B6-3

RELEASED
2010-07-16

DESIGN	ASS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	ASS	DRAWING NO.	REV. B
CHECKED	ASS	D3912	SHEET 2 OF 3
MFG. APPR.	ASS	TITLE	SCALE
APPROVED	ASS	EYEBOLT RECEIVER ASSY	NTS
DE APPR.	ASS	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
DATE	10.06.28	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



NOTES:
1) MATERIAL -3: 303/304/316 STAINLESS STEEL BAR, PER ASTM A276
REF DART SPEC M303B OR M304B

-5: 303/304/316 STAINLESS STEEL SHEET ANNEALED 2B, 0.125 THK
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME 5A240
REF DART SPEC M303S11GA OR M304S11GA

- 2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: ID AT ASSEMBLY
7) WEIGHT -3: 0.30 lbs
 -5: 0.24 lbs

RELEASE
2010-07-16

DESIGN	<i>AS</i>	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESSBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D3912	SHEET 3 OF 3
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	EYEBOLT RECEIVER ASSY	NTS
DATE	10.06.28	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED TO YOU ON THE EXPRESS RECOGNITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMERCIALIZED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	